


ATI Laskin Nozzle Generator Run Times

4B Laskin Nozzle Runtimes

Reservoir Size @ Max (mL)	4498
Reservoir Size @ Mid (mL)	3375
Usable Reservoir Size (mL)	1123 refill generator at mid-line

# of Nozzles*	Runtime - PAO (Hours)	Runtime - DOP (Hours)
1	40.107	47.991
2	20.054	23.996
3	12.032	14.397
4	9.024	10.798
5	7.219	8.638
6	6.016	7.199



*Estimated 10% loss in oil consumption when there are over 2 nozzles running at a time


PAO Consumption Rate 1 nozzle (ml/hour)	28
DOP Consumption Rate 1 nozzle (ml/hour)	23.4

ATI Laskin Nozzle Generator Run Times

4B Lite Laskin Nozzle Runtimes

Reservoir Size @ Max (mL)	3048
Reservoir Size @ Mid (mL)	2294
Usable Reservoir Size (mL)	754 refill generator at mid-line

# of Nozzles*	Runtime - PAO (Hours)	Runtime - DOP (Hours)
1	26.929	32.222
2	13.464	16.111
3	8.079	9.667



*Estimated 10% loss in oil consumption when there are over 2 nozzles running at a time


PAO Consumption Rate 1 nozzle (ml/hour)	28
DOP Consumption Rate 1 nozzle (ml/hour)	23.4

ATI Laskin Nozzle Generator Run Times

6D Laskin Nozzle Runtime

Reservoir Size @ Max (mL)	945
Reservoir Size @ Min (mL)	683
Usable Reservoir Size (mL)	262 refill generator at mid-line

# of Nozzles	Runtime - PAO (Hours)	Runtime - DOP (Hours)
0.5	18.714	22.393
1.5	6.238	7.464



PAO Consumption Rate 1 nozzle (ml/hour)	28
DOP Consumption Rate 1 nozzle (ml/hour)	23.4